1940 **ISSUED UNDER GERMAN OCCUPATION** Stamps of Germany overprinted in black watermarked 237, perf 14









N1

N2

N3

N4





N6





N5

N7

N8









91

N10

N11

N12









N14

N15

N16

According to Michel Catalog, the normal distance between rosettes on N17-N29 is 9.25-9.75mm. They catalog 3 variation types: type I – 9mm, type II – 10mm, type III, greater than 10mm)

1940, Dec 5 ISSUED UNDER GERMAN OCCUPATION Stamps of Luxembourg surcharged in black

unwatermarked, perf 12, 14 x 13½, 12½ x 12, 11½









N18 (9.75mm)



N19 (9.4mm)



N20 (9.7mm)



N21 (9.6mm)



N22 (9.6mm)



N23 (9.5mm)



N24 (9.6mm)



N25 (9.8mm)



N26 (9.6mm)



N27 type II variation (10mm)



N28 (9.6mm)



N29 (9.7mm)



N30



N32



N31

OCCUPATIONAL SEMI POSTAL STAMPS

1941, Jan 12 ISSUED UNDER GERMAN OCCUPATION Semi-Postal Stamps of Germany overprinted in black watermarked 237, perf 14



NB1



NB2



NB3



NB4



NB5



NB6



NB7



NB8



NB9